Form 3160-3 (September 2001)					APPROVED o, 1004-0136			
UNITED STATES		nuary 31, 20						
DEPARTMENT OF THE I	5. Lease Serial No.							
BUREAU OF LAND MANA	UTU-74		Nome					
APPLICATION FOR PERMIT TO DI	6. If Indian, Allottee or Tribe Name							
	7. If Unit or CA Agr		me and No					
1a. Type of Work: DRILL REENTE	R			// If Officer CA Agr	-	ane and 140.		
	_	_		8. Lease Name and \				
1b. Type of Well: Oil Well Gas Well Other	Single Z	one 🖵 Mult	ple Zone	Federal 6-29				
Name of Operator Newfield Production Company				9. API Well No.	3-013-	33426		
3a. Address	3b. Phone No. (inch	ide area code)		10. Field and Pool, or	Explorator	у		
Route #3 Box 3630, Myton UT 84052	(435) 646-3721			Monument B		···		
 Location of Well (Report location clearly and in accordance with At surface SE/NW 2130' FNL 1854' FWL 572 W. 	any State requiremen	57234	/	11. Sec., T., R., M., or	r Blk. and S	urvey or Area		
At surface SE/NW 2130' FNL 1854' FWL	684 111	ر مستوان در ا		SE/NW Sec. 2	29, T9S R	16F		
	484 116	· /75 J5	6	02:111	.0, 10011			
14. Distance in miles and direction from nearest town or post office*				12. County or Parish		13. State		
Approximatley 23.0 miles southwest of Myton, Utah			<u>,</u>	Duchesne UT				
15. Distance from proposed* location to nearest	16. No. of Acres in	lease	17. Spacin	acing Unit dedicated to this well				
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 3150' f/lse, NA f/unit	2139.50			40 Acres				
18. Distance from proposed location*	19. Proposed Depth 20. BLM/			/BIA Bond No. on file				
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1300'	0000			UTB000192				
		6060'						
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6221' GL	22. Approximate d	22. Approximate date work will start*			23. Estimated duration Approximately seven (7) days from spud to rig release.			
V221 OL	24. Attachmer			Approximately destrictly days	THOM OPER TO THE	, rotous.		
The following, completed in accordance with the requirements of Onshor				· C				
The following, completed in accordance with the requirements of Onshor	re Oil and Gas Order i	No. I, shall be at	tached to this	iom:				
1. Well plat certified by a registered surveyor.			he operation	s unless covered by an	existing b	ond on file (see		
 A Drilling Plan. A Surface Use Plan (if the location is on National Forest System) 	Lands the 5. (tem 20 above). Operator certific						
SUPO shall be filed with the appropriate Forest Service Office).	() () ()	Such other site	specific info	rmation and/or plans a	is may be	required by the		
25 8: 1			л. ——————		1			
25. Signature		Name (Printed/Typed) Mandie Crozier			Date 11/16/06			
Title () ()	1 Wandle O	I VZIĢI			1 177107			
Regulatory Specialist								
Approved by (Signature)	Name (Printe				Date			
The state of the s		DLEY G			;	9-06		
Title	OfficeNVIRO	ONMENTAL N	MANAGER					
Application approval does not warrant or certify the the applicant holds le	rgal or equitable title t	a thase rights in	the cubicat I	aana which would ontitl	a the annlic	ant to conduct		
operations thereon. Conditions of approval, if any, are attached.	gai or equitable title t	o mose rights in	the subject i	ease which would entitle	e me appno	ant to conduct		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it States any false, fictitious or fraudulent statements or representations as to	a crime for any perso any matter within its	n knowingly an jurisdiction.	d willfully to	make to any departme	nt or agenc	y of the United		


*(Instructions on reverse)

RECEIVED

NOV 2 2 2006

T9S, R16E, S.L.B.&M.

N89*58'W - 80.04 (G.L.O.) 2639.12' (Measured)



S89°59'E - 80.02 (G.L.O.)


= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (MYTON SW) 9 MILE 6-29-9-16 (Surface Location) NAD 83 LATITUDE = 40° 00' 11.84" $LONGITUDE = 110^{\circ} 08' 45.66"$

W.20.0N

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, 9 MILE 6-29-9-16, LOCATED AS SHOWN IN THE SE 1/4 NW 1/4 OF SECTION 29, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



THIS IS TO CERTIFY THAT PREPARED FROM FIELD OF MADE BY ME OR UNDER ANY SUPE THE SAME ARE TRUE AND SORRE MY KNOWLEDGE AND FLIE No.189377

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 8-11-06	SURVEYED BY: C.M.
DATE DRAWN: 8-17-06	DRAWN BY: M.W.
REVISED: 10-16-06 T.C.J.	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY FEDERAL #6-29-9-16 SE/NW SECTION 29, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' – 2260' Green River 2260' Wasatch 6060'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 2260' - 6060' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. <u>MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:</u>

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #6-29-9-16 SE/NW SECTION 29, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. <u>EXISTING ROADS</u>

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #6-29-9-16 located in the SE 1/4 NW 1/4 Section 29, T9S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.0 miles \pm to it's junction with an existing road to the northeast; proceed northeasterly and then southwesterly - 10.1 miles \pm to it's junction with the beginning of the proposed access road; proceed easterly along the proposed access road - 450' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. <u>LOCATION OF EXISTING WELLS</u>

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

Please refer to the Monument Butte Field SOP.

8. <u>ANCILLARY FACILITIES</u>

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #06-175. Paleontological Resource Survey prepared by, Wade E. Miller, 4/26/06. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 450' of disturbed area be granted in Lease UTU-74391 to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 450' of disturbed area be granted in Lease UTU-74391 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 6" gas gathering line, and a buried 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.


Surface Flow Line

For all new wells, Newfield Exploration requests that a 30' Right of way be granted to allow for construction of up to a 14" bundled pipe. **Refer to Topographic Map "D"** for the proposed location of the proposed flow line. Flow lines will be tan and will be constructed using the following procedures:

<u>Clearing and Grading:</u> the proposed flow line will be placed on the surface of the ground. As such no grading or clearing will be needed. The flow line will be centered staked every 200 feet prior to the installation. The flow line will be as close to the access road as possible without interfering with the normal road travel, or road maintenance. All flow lines will be buried under roads at crossings and will cross roads only where existing gas pipeline corridors exist.

<u>Installation</u> for portions along existing roads, lengths of pipe will be laid in the barrow ditch, welded together and moved into place. For lines that go cross-country minimal access will be needed only for maintenance purpose. It is in the best interest of Newfield Exploration to avoid wet and saturated ground that would cause ruts greater than 3 inches in depth. Disturbed areas will be reclaimed with in 120 days of the end of the installation.

<u>Termination and final restoration:</u> A notice of abandonment will be filed with the BLM for final recommendations regarding surface reclamation. After abandonment the flow line will be removed,



Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

None For the Proposed Federal 6-29-9-16

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Indian RicegrassOryzopsis Hyemoides5 lbs/acreBlue Gamma GrassBoutelous Gracilis5 lbs/acreNeedle and Thread GrassStipa Comata5 lbs/acre

Details of the On-Site Inspection

The proposed Federal #6-29-9-16 was on-sited on 9/26/06. The following were present; Kim Kettle (Newfield Production), Charley Sharp (Bureau of Land Management), and Brandon McDonald (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification


Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #6-29-9-16 SE/NW Section 29, Township 9S, Range 16E: Lease UTU-74391 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B001832.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and

approved.	tors in conformity with this plan and the This statement is subject to the provisio	terms and conditions under which it is ns of 18 U.S.C. 1001 for the filing of a false
statement.	11/16/06 Date	Mandie Crozier Regulatory Specialist Newfield Production Company

9 MILE 5-29-9-16 (Proposed Well) 9 MILE 6-29-9-16 (Proposed Well)

Pad Location: SENW Section 29, T9S, R16E, S.L.B.&M.





CROSS SECTIONS


9 MILE 5-29-9-16 (Proposed Well)

9 MILE 6-29-9-16 (Proposed Well)

Pad Location: SENW Section 29, T9S, R16E, S.L.B.&M.









1" = 50'

STA. 0+00

ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used)

(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	2,210	2,210	Topsoil is not included	0
PIT	640	0	in Pad Cut	640
TOTALS	2,850	2,210	1,130	640

NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	T.C.J.	DATE:	10-16-06


riangle Tri~State	(435) 781–2501
/ Land Surveying,	Inc.
180 NORTH VERNAL AVE. VER	

TYPICAL RIG LAYOUT

9 MILE 5-29-9-16 (Proposed Well)

9 MILE 6-29-9-16 (Proposed Well)

Pad Location: SENW Section 29, T9S, R16E, S.L.B.&M.




Newfield Production Company Proposed Site Facility Diagram


Federal 6-29-9-16


SE/NW Sec. 29 T9S, 16E


Duchesne County, Utah


UTU-74391












ū	10	11	12			D 13		0	ť.	th.	1		9	10		1.1	12	ī	8	9	Newfield Wells Location Surface Spur	
18	ts	14	13		9 3	7 10	4S-R2V	, V	4	13	100	:17.	18 T4	15 S-R1W		14	13	18	17	16	Drilling Waiting on Co Producing Oil Producing Ge	ompletion I Well as Well
-21	22	T45-R3		1	0 2	es co		2 2	3 24	554 154 1654 534	19	20	21	22	11		24	19	T45	-R1E	Water Injectic Dry Hole Temporarity / Plugged & At Shut In	Abandoned pandoned
211	27	28	25		10 30	29 20	Front in	23 1 64 530	ala ola ola el ala ola ola el	24 2-12 6-19		-R 7E	1821 Ly L	" man sha sha	n in	24 134 134 134 134 134 134	10	20	23	20	Water Source Water Dispose Injection State UnitOutlines	sal Well
33	34	28 28	25	19 20 TRS	 a R16E	Tracks 620	27 +27		1 . 1 1	V 10.30		1 113	11 2 ml	1 60 at 1	10 10 10 10 2	24-24 / 18-24 18-24 - 17-25 - 12-5 18-25 - 13-25 18-25 - 12-5 25-25 - 12-5 24-25 Cutolify Spyring /	30 23 ² 30	18S-R18 20 40 40 40 40 40 40	28		27 10.20 10.2	35
T5	S-R3V	1 TB €	9 A	West Point	Weta Diene	60 60 60	131 501 231 601 E 131 601 601 1318 / 1324 601	tin som ha tin la sin tin la sin ha	100 Cm 250 Cm 8 500 650 Cm 8 1250 Cm 1500 C	30 27 631 4 30 631 4 4 631 1131	h far sin fan Grein sin sin fan Sin sin sin fan	100 th 21 th 22 th	07 207 (03 07 1607 650 (054	1001 954 1001 954	3n 30s	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(31 24) 13 (51 63) 131631 (31 163) 63	30 to 1 d	re.	19-28 19-24	94 43-340 1-362-35 34 43-3413-350 34-35	36.11 354 45.21 36 45.22 36.23
\$7	/1	62 62 62 62 2	999.	6 6 1 1484	nia siesania dia Kapisa	1/45 7/49 (1 1/46 (1 1/4 1/4 (1 1/4 (1	40 10 10 10 10 10 10 10 10 10 10 10 10 10 1		63 63 63 63 63 63 63 63 63 63 63 63 63 6	1 (21-5 g) 12-5 (31-5 g) 42-5 (31-5 g)	10 20 (n 10 60 60 60 60 60 60 60 60 60 60 60 60 60	10 10 X	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$ 6 5 62 \$ 5 5 62	12312 (2 12312 (2 242)2 24)2	16.1 18.1 64	g 00 A		34 2 484 64 7 524 184 1	4 64	, 4,4	1
16	15 C10 5 10 10 10 10 10 10 10 10 10 10 10 10 10	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	130 140 660 140 132 142 142 142 150 160 160 160 150 160 160 150 160 160	6 6 6 6 6	14 30 10 fee	tile atox	101/10 210 artor	den den	(m) dan	Belign	is to simple	21-101 / 12-101 zz	an 10 60 2500	# 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11 251 B1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ు కి ఇంద్రి దీ దీ మెచ్చి మెచ్	4 4 4	9	10	do u	12
h	12 (15 14 (15 10 (16 16 16 11 (16 16 16 16	194 254 254 194 194 254 254 254 254 1954 254	130 5-10 230 130 30 632 130 632 120 130 100 10 10	31.3av	eir fir		tu / 2002 and	1 phon I also son she she she who the she she who the	Tally 282 1 Shells 182 a	efc sfa cf	1. 10 10 10 10 10 10 10 10 10 10 10 10 10	Carolin den 1 Ber Carolina Carolina	162 Me 200 M	elis les es	24 274 13 24 + 124	13 13 150 * 150 H	24 29s els 18 18 2	237 287 137	254 16 17 1156	13e 13e	15 14	23-14
	222,337	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	134 334 334 134 134 334 334 134 134 134	10	20 25-20 TO	náw ∕ 21 S-R16E	1822	n on in	da	18.1		s2a	# S-R17E	Su 180 2	23 + 1-23	24	10 42	ndav Say 2 sodav Say	21 (61)	T98-I	22 2	3.53 3 34
13/27	27	20 1	25	00	29	20	27	20 136	25-51V 26	30	4100		28	27	36	25	30	29 2529	28		37 .2	8 28
	31	35	35	25	32	23	и	35	28	31	2		33	34	35	41-3 35	31	32	33		NEWFIEL ROCKY MOUNTAIN	-
T1	0S-R	15E,	.1	b	5	4	¥	110S-R	16E	8	Γ10S-R			3	2		T1	0S-R18	E .	Alexes Flora Bull Alexes Springer Design Consent Pringer (2011) 81	Exhibit A Duchawe & Ulorah Con-	brus 14 364



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

152

CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S BLOCK PARCEL IN TOWNSHIP 9S, RANGE 16E, SECTIONS 27, 28, 29 AND 30 DUCHESNE COUNTY, UTAH

By:

Jenn Mueller

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company Rt. 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 06-175

September 8, 2006

United States Department of Interior (FLPMA) Permit No. 06-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-06-MQ-1111b

PALEONTOLOGICAL SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE AND UINTAH COUNTIES, UTAH

NE 1/4, NW 1/4, Section 33, T 9 S, R 18 E; Section 19, T 9 S, R 17 E [entire section excluding the NW 1/4, NW 1/4]; Section 27, T 9 S, R 16 E [entire section excluding the NW 1/4, NW 1/4], Section 28, T 9 S, R 16 E [entire section]; Section 29, T 9 S, R 16 E [entire section]; Section 30, T 9 S, R 16 E [entire section].

REPORT OF SURVEY


Prepared for:

Newfield Production Company

Prepared by:

Wade E. Miller Consulting Paleontologist April 26, 2006

APD RECEIVED: 11/22/2006	API NO. ASSIGNED: 43-013-33426
WELL NAME: FEDERAL 6-29-9-16 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER	PHONE NUMBER: 435-646-3721
PROPOSED LOCATION:	INSPECT LOCATN BY: / /
SENW 29 090S 160E SURFACE: 2130 FNL 1854 FWL	Tech Review Initials Date
BOTTOM: 2130 FNL 1854 FWL	Engineering
COUNTY: DUCHESNE	Geology
LATITUDE: 40.00334 LONGITUDE: -110.1453 UTM SURF EASTINGS: 572960 NORTHINGS: 442826	Surface
FIELD NAME: MONUMENT BUTTE (105) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-74391 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB000192) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) The Fee Surf Agreement (Y/N) Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit:R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
SOR Seperate S STIPULATIONS: 1- Cederal Dapa 2- Spacing Ship	





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director JON M. HUNTSMAN, JR. Governor

> GARY R. HERBERT Lieutenant Governor

> > November 29, 2006

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: Federal 6-29-9-16 Well, 2130' FNL, 1854' FWL, SE NW, Sec. 29, T. 9 South, R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33426.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Production Company						
Well Name & Number	Federal	6-29-9-16					
API Number:	43-013-	43-013-33426					
Lease:	UTU-7	1391					
Location: SE NW	Sec. 29	T. 9 South	R. 16 East				

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.



GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

January 8, 2008

Mandie Crozier Newfield Production Company Rt. #3 Box 3630 Myton, UT 84052

43.013.33426 29 95 16E

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective January 8, 2008.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Name of the Sort

Dana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



Page 2 January 8, 2008 Subject:

> 4304736144 FEDERAL 2-18-9-18 4304736145 FEDERAL 6-18-9-18 4304736146 FEDERAL 8-18-9-18 4304736147 FEDERAL 10-18-9-18 4304736148 FEDERAL 12-18-9-18 4304736149 FEDERAL 14-18-9-18 4301333398 FEDERAL 13-28-9-16 4301333402 FEDERAL 9-28-9-16 4301333406 FEDERAL 5-28-9-16 4301333426 FEDERAL 6-29-9-16 4301333428 FEDERAL 8-29-9-16 4301333430 FEDERAL 10-29-9-16 4301333431 FEDERAL 11-29-9-16 4301333434 FEDERAL 14-29-9-16 4301333435 FEDERAL 15-29-9-16 4301333436 FEDERAL 16-29-9-16 4301330435 GB FED 7-29R-8-17 4301333455 FEDERAL 5-30-9-16 4301333457 FEDERAL 7-30-9-16 4301333458 FEDERAL 10-30-9-16 4301333427 FEDERAL 7-29-9-16 4301333429 FEDERAL 9-29-9-16 4301333432 FEDERAL 12-29-9-16 4301333433 FEDERAL 13-29-9-16